

# Mallia™

**NEW** GOLD  
NEW FINISHES  
**GOLD** LACQUERED BLACK NEW GOLD  
METAL PLATES NEW  
NEW GOLD FINISHES  
NEW GOLD LACQUERED BLACK NEW  
NEW METAL PLATES NEW  
NEW METAL PLATES NEW  
NEW LACQUERED BLACK NEW  
NEW FINISHES  
STAINLESS STEEL  
NEW FINISHES  
NEW GOLD NEW  
NEW FINISHES GOLD  
GOLD METAL PLATES  
LACQUERED BLACK NEW  
STAINLESS STEEL  
NEW  
NEW GOLD NEW  
NEW GOLD  
NEW  
NEW STAINLESS STEEL  
GOLD LACQUERED BLACK  
NEW GOLD  
NEW  
NEW

**LOOK TOUCH LOVE WOOD**



Express Yourself Like Never Before






It's s  simple

Mixing colours is a breeze with Mallia™. With four new metal plates added to the current range, the possibilities are not only endless, but also exciting.



LOOK	Love at First Sight	4
TOUCH	Something to Behold	10
LOVE	Marvel at the Versatility	12
WOO	Form and Functionality	18
CLOSE	Detail Catalogue	20

# LOOK



## Bedazzled by the New Shine?

You should be. When new shine meets all-time favourites, it is natural that your gaze lingers for just a tad longer.



Brushed Stainless Steel



Gold



Lacquered Black



Polished Stainless Steel



# Always the Crowd Pleaser

Be it conventional matt white, stylish light silver, elegant pearl or the chic dark silver, the Mallia™ range exudes alluring elegance and uncompromised simplicity – like always.



Silver



White



Pearl



Dark Silver



# LOOK



♥ Brushed Stainless Steel with Silver Rocker

♥ Lacquered Black with Dark Silver Rocker

♥ Polished Stainless Steel with Silver Rocker

♥ Gold with Pearl Rocker

White

## NEW METAL PLATES

Lacquered Black

Gold

Polished  
Stainless Steel

Brushed  
Stainless Steel

White

Pearl

Brass

Bronze

Matt Black

Silver

Champagne

Copper

Dark Silver

Dark Silver with  
Silver Rocker

Brass with  
Dark Silver Rocker

Silver with  
Dark Silver Rocker

Copper with  
Pearl Rocker

Champagne with  
Silver Rocker

Matt  
Dark

Let the plateful of Mallia™ colours delight visual senses. With our enhanced selection of classic matt white, contemporary silver, lustrous pearl, supple copper, muscular bronze, enduring brushed stainless steel, mysterious lacquered black, melodic brass, sexy matt black, there is a colour for every style.





A looker in every sense and absolutely original. Each switch can now have a character and an identity of its very own. Champagne with silver, gold with pearl, polished stainless steel with silver, lacquered black with dark silver and more, the combinations are simply boundless.



Brass with Pearl Rocker

Bronze with Silver Rocker

Copper with Silver Rocker


Matt Black with Silver Rocker

Silver with White Rocker

# TOUCH

## Something to Behold

From the graceful profile to the sultry curves, the refreshed Mallia™ range is more than just a head turner. Its satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.



In a class of its own, whether frontal or side, each curve and detail of Mallia™ stamps uniqueness.



A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



Not to forget, the slim profile also promises to be a perfect fit for every space and design.

milky smooth



metallic blast



polished appeal



# LOVE

Marvel at the Versatility of Mallia™



The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.

Irresistibly charming. The Mallia™ range is so easy to love. Like a chameleon that is highly adaptable, Mallia™ rises up to the occasion, in style – always.



100% flexible. Any design. Any frequency of change. The possibilities are endless with Mallia™.

# LOVE


## Even more versatile than you expect

The flame of passion just keeps burning stronger and brighter.

In complete harmony to the modern lifestyles demands. No matter how visionary your lifestyle, our renewed range promises to enhance the overall experience – our expression of affection.

Beyond getting the ergonomics right, Mallia™ goes the distance to ensure that form always complements the function. We give the freedom to express creativity – our speech of love.

Ease and control with our sound diffusion system. Choose the standalone unit to regulate sound system and FM radio tuner or the multi-zone control unit that also enables intercom and remote child-monitoring.



Stand alone tuner    Central unit    Loudspeaker    Radio tuner with local control unit

Form does not need to be compromised with Mallia™. TV and FM sockets can now sit right beside the rest of your switches. No compromise to style.



TV female terminal socket    FM-TV socket

Be connected to the world in style with telephone and data sockets from Mallia.



Telephone socket    Data socket

We know what counts. Mallia™'s automatic switch and time delay switches help to save energy, so that there is more for other things.



Rotary dimmer control and 2 way switch    Automatic switch    Time delay switch



1-gang switch    2-gang switch    3-gang switch    4-gang switch    2-gang illuminated switch    3-gang illuminated switch    Bell push-button    Indicator for Do not disturb / Clean up and bell push-button    Do not disturb / Clean up 2-gang switch    Rotary dimmer    Fan speed control    Telephone socket    2-gang switch with transparent rocker and label holder    1-gang 45A DP switch with LED indicator    1-gang (BS) socket outlet    2-gang socket outlet    Multistandard socket outlet    Automatic switch    FM-TV socket




Our affinity lasts a lifetime. Not only does Mallia™ offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.



Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.




Slim design of the mechanisms gives way for larger wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.



# Mallia™ single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669 – 1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	<b>1 gang - 1-way switch</b> ○ White
10	2 810 01	<b>1 gang - 2-way switch</b> ○ White
4	2 810 08	<b>1 gang - intermediate switch</b> ○ White
10	2 810 02	<b>2 gang - 1-way switch</b> ○ White
10	2 810 03	<b>2 gang - 2-way switch</b> ○ White
10	2 810 04	<b>3 gang - 1-way switch</b> ○ White
10	2 810 05	<b>3 gang - 2-way switch</b> ○ White
10	2 810 06	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied		
10	2 810 10	<b>1 gang - 1-way switch</b> ○ White
10	2 810 11	<b>1 gang - 2-way switch</b> ○ White
4	2 810 09	<b>1 gang - intermediate switch</b> ○ White
10	2 810 12	<b>2 gang - 1-way switch</b> ○ White
10	2 810 13	<b>2 gang - 2-way switch</b> ○ White
10	2 810 14	<b>3 gang - 1-way switch</b> ○ White
10	2 810 15	<b>3 gang - 2-way switch</b> ○ White
10	2 810 16	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

# Mallia™ single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669 – 1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	<b>1 gang - 1-way switch</b> ○ White
10	2 810 51	<b>1 gang - 2-way switch</b> ○ White
4	2 810 69	<b>1 gang - intermediate switch</b> ○ White
10	2 810 52	<b>2 gang - 1-way switch</b> ○ White
10	2 810 53	<b>2 gang - 2-way switch</b> ○ White
10	2 810 54	<b>3 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	<b>3 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 60	Equipped with earth link connector <b>1 gang - 1-way</b> ○ White
10	2 810 61	<b>1 gang - 1-way with LED power indicator</b> ○ White
10	2 810 62	<b>1 gang - 1-way with LED power indicator and "WATER HEATER" marking</b> ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector <b>2 gang - 1-way with LED power indicator</b> ○ White
10	2 810 66	<b>1 gang - 1-way with LED power indicator and cable outlet</b> ○ White
10	2 810 67	<b>1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking</b> ○ White
10	2 810 68	<b>1 gang - 2-way with "WATER HEATER" marking</b> ○ White

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
10	2 810 71	Conform to BS EN 60669 - 1 <b>1 gang - 1-way with red indicator</b> ○ White
10	2 810 72	<b>1 gang - 1-way with red indicator and cooker marking</b> ○ White
5	2 810 73	<b>2 gang - 1-way vertical switch with red indicator</b> Dim.: 86 x 146 mm ○ White

# Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 91



2 810 75

Conform to BS EN 60669 – 1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

## Pack Cat.Nos Push-buttons 10 A - 250 V~

Pack	Cat.Nos	Product Name	Color
10	2 810 41	N/O contact (push to make)	White
10	2 810 40	N/O contact with bell symbol	White

## Pack Cat.Nos Programmable switch

Pack	Cat.Nos	Product Name	Color
1	2 810 92	Programmable switch	White



## Dimmers

Pack	Cat.Nos	Product Name	Color
10	2 810 80	Rotary control dimmer	White
1	2 810 84	Rotary control dimmer + switch	White
1	2 810 85	Rotary dimmer	White

**NEW**

## Time delay switch

Pack	Cat.Nos	Product Name	Color
1	2 810 91	Time delay switch	White



## Fan speed controls

Pack	Cat.Nos	Product Name	Color
1	2 810 81	400 VA rotary fan control	White
1	2 810 82	5-speed fan control	White

**NEW**



## Cooker control unit 45 A - 250 V~

Pack	Cat.Nos	Product Name	Color
5	2 810 75	Cooker control unit	White



Pack	Cat.Nos	Product Name	Color
1	2 810 90	Automatic switch	White



# Mallia™ telephone, data, television, shaver sockets and cable outlets - complete white



2 811 60



2 811 65



2 811 35



2 811 47

Conform to BS EN 60669 – 1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

## Pack Cat.Nos Telephone sockets

Pack	Cat.Nos	Telephone sockets
5	2 811 60	<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector ○ White
5	2 811 63	<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector ○ White
5	2 811 68	<b>BS master telephone sockets</b> ○ White
5	2 811 69	<b>BS secondary telephone sockets</b> ○ White
10	2 811 70	<b>2 A - 3 pin sockets</b> ○ White

## Pack Cat.Nos Telephone and data sockets

5	2 811 66	<b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b> ○ White
---	----------	---

## Television sockets

10	2 811 51	<b>TV female terminal socket</b> ○ White
10	2 811 52	<b>TV female "F" type socket</b> ○ White
5	2 811 53	<b>TV-R terminal socket</b> ○ White
5	2 811 57	<b>TV-R-SAT socket</b> ○ White

## Data sockets

5	2 811 61	<b>RJ 45 Cat. 5e UTP</b> ○ White
5	2 811 62	<b>RJ 45 Cat. 6 UTP</b> ○ White
5	2 811 64	<b>Double RJ 45 Cat. 5e UTP</b> ○ White
5	2 811 65	<b>Double RJ 45 Cat. 6 UTP</b> ○ White

## Shaver socket

1	2 811 35	<b>Shaver socket</b> 240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm ○ White
---	----------	--

## Cable outlets

10	2 811 47	<b>20 A</b> ○ White
5	2 811 48	<b>45 A</b> ○ White

# Mallia™ British standard socket outlets and fused connection units - complete white



2 811 10



2 811 14



2 811 28



2 811 29

Conform to BS EN 60669 – 1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2 811 10	Conform to BS 1363: Part 2 <b>1 gang unswitched</b> ○ White
5	2 811 12	<b>2 gang unswitched</b> ○ White Dim.: 146 x 86 mm
10	2 811 11	<b>1 gang - single pole switched</b> ○ White
10	2 811 14	<b>1 gang - single pole switched with red power indicator</b> ○ White
5	2 811 13	<b>2 gang - single pole switched</b> ○ White Dim.: 146 x 86 mm
5	2 811 15	<b>2 gang - single pole switched with red power indicator</b> ○ White Dim.: 146 x 86 mm
10	2 811 16	<b>1 gang - double pole switched</b> ○ White
10	2 811 18	<b>1 gang - double pole switched with red power indicator</b> ○ White
5	2 811 17	<b>2 gang - double pole switched</b> ○ White Dim.: 146 x 86 mm
5	2 811 19	<b>2 gang - double pole switched with red power indicator</b> ○ White Dim.: 146 x 86 mm

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 27	Conform to BS 546 <b>1 gang unswitched</b> ○ White
10	2 811 28	<b>1 gang switched</b> ○ White
10	2 811 29	<b>1 gang switched, with red LED power indicator</b> ○ White

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2 811 31	Conform to BS 546 <b>1 gang unswitched</b> ○ White
10	2 811 32	<b>1 gang switched</b> ○ White

Pack	Cat.Nos	13 A fused connection units
10	2 811 40	Conform to BS 1363: Part 4 <b>Unswitched</b> ○ White
10	2 811 41	<b>Switched</b> ○ White
10	2 811 42	<b>Switched with red LED power indicator</b> ○ White

## Mallia™ Euro-US and German standard socket outlets - complete white

## Mallia™ modular sockets - white



2 811 00

2 811 20

Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Supplied complete with plate  
 Dim.: 86 x 86 mm



2 818 55

2 818 58

2 819 30 (see p. 32)

Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 All sockets integrate child protection  
 Dim.: 146 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 00	<b>2P - 1 gang</b> ○ White
10	2 811 01	<b>2P - 1 gang + 10 A switch</b> ○ White
10	2 811 02	<b>2P - 2 gang (separated connection)</b> ○ White
10	2 811 03	<b>2P+E - 1 gang</b> ○ White
10	2 811 04	<b>2P+E - 2 gang</b> ○ White

10	2 811 25	<b>German standard socket outlets 16 A - 250 V~</b> <b>2P+E - 1 gang</b> ○ White - Vertical mounting
10	2 811 26	○ White - Horizontal mounting

10	2 811 20	<b>Multistandard socket outlets 16 A - 250 V / 15 A - 127 V</b> <b>2P+E - 1 gang</b> ○ White
----	----------	--

10	2 811 05	<b>US standard socket outlets 15 A - 127 V SASO agreement</b> <b>2P+E - 1 gang</b> ○ White
10	2 811 06	<b>2P+E - 2 gang</b> ○ White

Pack	Cat.Nos	Socket outlets modular mechanisms
5	2 818 55	To be equipped with 2-gang support frames and plates (p. 32) <b>1 gang unswitched - British standard - 13 A - 250 V~</b> ○ White
5	2 818 58	<b>1 gang switched - British standard - 13 A - 250 V~</b> ○ White
8	2 818 47	<b>2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~</b> ○ White
5	2 818 50	<b>2P+E - 1 gang - German standard - 16 A - 250 V~</b> ○ White

Red catalogue numbers: New products

# Mallia™ switches for hotels, downlighters and sound distribution - complete white



2 810 48



2 810 97







2 811 81









2 811 84

Polycarbonate front cover plates with a matt finish  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	<b>Key card switch - 15 A</b> Time delay around 30 s ○ White 
10	2 810 45	<b>Do not disturb / Occupied / Clean up Bell push-button</b> ○ White 
10	2 810 46	<b>Do not disturb / Clean up - 2 gang switch</b> ○ White 

5	2 810 97	<b>Downlighter</b> Low output downlighter 230 V~ , with LED <b>2P+E - 1 gang</b> ○ White 
---	----------	--

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White 

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	<b>Modular power supply</b> 230 V / 15 V - 15 W 5 DIN modules 17.5 mm 
1	2 811 82	<b>Central unit</b> ○ White 
1	2 811 83	<b>Local control unit</b> With LCD display, child surveillance and intercommunication ○ White 
1	2 811 84	<b>Radio tuner with local control unit</b> Dim.: 146 x 86 mm ○ White 
1	2 811 85	<b>Loudspeaker</b> ○ White 

# Mallia™ single pole switches - customisable colours

**NEW**



2 830 02



2 832 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1  
 Painted polycarbonate front cover  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 To be equipped with plates  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 00	
5	2 834 00	
5	2 830 01	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 01	
5	2 834 01	
4	2 830 08	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
4	2 832 08	
4	2 834 08	
5	2 830 02	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 02	
5	2 834 02	
5	2 830 03	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 03	
5	2 834 03	
5	2 830 04	<b>3 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 04	
5	2 834 04	
5	2 830 05	<b>3 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 05	
5	2 834 05	
5	2 830 06	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 06	
5	2 834 06	
5	2 830 07	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 07	
5	2 834 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied		
5	2 830 10	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 10	
5	2 834 10	
5	2 830 11	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 11	
5	2 834 11	
4	2 830 09	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
4	2 832 09	
4	2 834 09	
5	2 830 12	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 12	
5	2 834 12	
5	2 830 13	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 13	
5	2 834 13	
5	2 830 14	<b>3 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 14	
5	2 834 14	
5	2 830 15	<b>3 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 15	
5	2 834 15	
5	2 830 16	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 16	
5	2 834 16	
5	2 830 17	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 17	
5	2 834 17	



# Mallia™ single pole switches and double pole switches - customisable colours

**NEW**



2 834 53



2 830 54



2 832 62



2 834 66



Plate selection charts p. 36-37

Conform to BS EN 60669 - 1  
 Painted polycarbonate front cover  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 To be equipped with plates  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 50	
5	2 834 50	
5	2 830 51	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 51	
5	2 834 51	
4	2 830 69	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
4	2 832 69	
4	2 834 69	
5	2 830 52	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 52	
5	2 834 52	
5	2 830 53	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 53	
5	2 834 53	
5	2 830 54	<b>3 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 54	
5	2 834 54	
5	2 830 55	<b>3 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 55	
5	2 834 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	Equipped with earth link connector <b>1 gang - 1-way</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 60	
5	2 834 60	
5	2 830 61	<b>1 gang - 1-way with LED power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 61	
5	2 834 61	
5	2 830 62	<b>1 gang - 1-way with LED power indicator and "WATER HEATER" marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 62	
5	2 834 62	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 65	<b>2 gang - 1-way with LED power indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 65	
5	2 834 65	
5	2 830 66	<b>1 gang - 1-way with LED power indicator and cable outlet</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 66	
5	2 834 66	
5	2 830 67	<b>1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 67	
5	2 834 67	
5	2 830 68	<b>1 gang - 2-way with "WATER HEATER" marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 68	
5	2 834 68	

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
5	2 830 71	Conform to BS EN 60669 - 1 <b>1 gang - 1-way with red indicator</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 71	
5	2 834 71	
5	2 830 72	<b>1 gang - 1-way with red indicator and cooker marking</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 72	
5	2 834 72	
5	2 830 73	<b>2 gang - 1-way vertical switch with red indicator</b> Dim.: 86 x 146 mm Use special plates (p. 34) <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 73	
5	2 834 73	

Red catalogue numbers: New products

# Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - customisable colours

**NEW**



2 830 84



2 834 90



2 832 81



2 812 75

Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1  
 Painted polycarbonate front cover  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 To be equipped with plates - Dim.: 86 x 86 mm

## Pack Cat.Nos Push-buttons 10 A - 250 V~

Pack	Cat.Nos	Description
5	2 830 41	<b>N/O contact (push to make)</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 41	
5	2 834 41	
5	2 830 40	<b>N/O contact with bell symbol</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 40	
5	2 834 40	

## Dimmers

Pack	Cat.Nos	Description
1	2 830 80	<b>Rotary control dimmer</b> 60-500 W for incandescent and halogen lamps 230 V~ 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 80	
1	2 834 80	
1	2 830 84	<b>Rotary control dimmer + switch</b> 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 84	
1	2 834 84	
1	2 830 85	<b>Rotary dimmer</b> 60-1000 W for incandescent and halogen lamps 230 V 60-1000 VA for halogen lamps with ferromagnetic transformers Can control electronic transformers with leading edge behaviour, max. 600 VA Installation without neutral <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 85	
1	2 834 85	

## Automatic switches

Pack	Cat.Nos	Description
1	2 830 90	<b>IR movement detector</b> Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 90	
1	2 834 90	

## Pack Cat.Nos Programmable switches

Pack	Cat.Nos	Description
1	2 830 92	Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 92	
1	2 834 92	

## Time delay switches

Pack	Cat.Nos	Description
1	2 830 91	Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 91	
1	2 834 91	

## Fan speed controls

Pack	Cat.Nos	Description
1	2 830 81	<b>400 VA rotary fan controls</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 81	
1	2 834 81	
1	2 830 82	<b>5-speed fan controls</b> 100 W for fan with overall diameter 48" <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 82	
1	2 834 82	

## Cooker control units 45 A - 250 V~

Pack	Cat.Nos	Description
5	2 812 75	Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 75	
5	2 834 75	

Red catalogue numbers: New products

# Mallia™ telephone, data, television, shaver sockets and cable outlets - customisable colours

**NEW**



2 835 63



2 831 62



2 835 51



2 831 35



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1  
 Painted polycarbonate front cover  
 Compact mechanism for a larger wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 To be equipped with plates - Dim.: 86 x 86 mm

## Pack Cat.Nos Telephone sockets

Pack	Cat.Nos	Telephone sockets
5	2 831 60	<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 60	
5	2 835 60	

Pack	Cat.Nos	Double RJ 11 sockets - 4 contacts
5	2 831 63	<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 63	
5	2 835 63	

Pack	Cat.Nos	BS master telephone sockets
5	2 831 68	<b>BS master telephone sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 68	
5	2 835 68	

Pack	Cat.Nos	BS secondary telephone sockets
5	2 831 69	<b>BS secondary telephone sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 69	
5	2 835 69	

Pack	Cat.Nos	2 A - 3 pin sockets
5	2 831 70	<b>2 A - 3 pin sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 70	
5	2 835 70	

## Data sockets

Pack	Cat.Nos	RJ 45 Cat. 5e UTP
5	2 831 61	<b>RJ 45 Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 61	
5	2 835 61	

Pack	Cat.Nos	RJ 45 Cat. 6 UTP
5	2 831 62	<b>RJ 45 Cat. 6 UTP</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 62	
5	2 835 62	

Pack	Cat.Nos	Double RJ 45 Cat. 5e UTP
5	2 831 64	<b>Double RJ 45 Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 64	
5	2 835 64	

Pack	Cat.Nos	Double RJ 45 Cat. 6 UTP
5	2 831 65	<b>Double RJ 45 Cat. 6 UTP</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 65	
5	2 835 65	

## Pack Cat.Nos Telephone and data sockets

Pack	Cat.Nos	Telephone and data sockets
5	2 831 66	<b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 66	
5	2 835 66	

## Television sockets

Pack	Cat.Nos	TV female terminal sockets
5	2 831 51	<b>TV female terminal sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 51	
5	2 835 51	

Pack	Cat.Nos	TV female "F" type sockets
5	2 831 52	<b>TV female "F" type sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 52	
5	2 835 52	

Pack	Cat.Nos	TV-R terminal sockets
5	2 831 53	<b>TV-R terminal sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 53	
5	2 835 53	

Pack	Cat.Nos	TV-R-SAT sockets
5	2 831 57	<b>TV-R-SAT sockets</b> <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 57	
5	2 835 57	

## Shaver sockets

Pack	Cat.Nos	Shaver sockets
1	2 831 35	<b>Shaver sockets</b> 240 V / 120 V $\sim$ - 50/60 Hz Dim.: 86 x 146 mm <ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
1	2 833 35	
1	2 835 35	

## Cable outlets

Pack	Cat.Nos	Cable outlets
Conform to BS 5733		
<b>20 A</b>		
5	2 831 47	<ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 47	
5	2 835 47	
<b>45 A - supplied complete with plate</b>		
5	2 831 48	<ul style="list-style-type: none"> <li>Silver</li> <li>Pearl</li> <li>Dark Silver</li> </ul>
5	2 833 48	
5	2 835 48	

# Mallia™ British standard socket outlets and fused connection units - customisable colours



2 833 13



2 817 18



2 835 28



2 833 42



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1. Painted polycarbonate front cover  
Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes. All sockets integrate child protection  
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
5	2 831 10	<b>1 gang unswitched</b>
5	2 833 10	● Silver
5	2 835 10	● Pearl
		● Dark Silver
5	2 831 12	<b>2 gang unswitched - Dim.: 146 x 86 mm</b>
5	2 833 12	● Silver
5	2 835 12	● Pearl
		● Dark Silver
5	2 831 11	<b>1 gang - single pole switched</b>
5	2 833 11	● Silver
5	2 835 11	● Pearl
		● Dark Silver
5	2 831 14	<b>1 gang - single pole switched with red power indicator</b>
5	2 833 14	● Silver
5	2 835 14	● Pearl
		● Dark Silver
5	2 831 13	<b>2 gang - single pole switched - Dim.: 146 x 86 mm</b>
5	2 833 13	● Silver
5	2 835 13	● Pearl
		● Dark Silver
5	2 831 15	<b>2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm</b>
5	2 833 15	● Silver
5	2 835 15	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
5	2 813 16	<b>1 gang - double pole switched</b>
5	2 816 16	● Silver
5	2 817 16	● Pearl
		● Dark Silver
5	2 813 18	<b>1 gang - double pole switched with red power indicator</b>
5	2 816 18	● Silver
5	2 817 18	● Pearl
		● Dark Silver
5	2 813 17	<b>2 gang - double pole switched - Dim.: 146 x 86 mm</b>
5	2 816 17	● Silver
5	2 817 17	● Pearl
		● Dark Silver
5	2 813 19	<b>2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm</b>
5	2 816 19	● Silver
5	2 817 19	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546
5	2 831 27	<b>1 gang unswitched</b>
5	2 833 27	● Silver
5	2 835 27	● Pearl
		● Dark Silver
5	2 831 28	<b>1 gang switched</b>
5	2 833 28	● Silver
5	2 835 28	● Pearl
		● Dark Silver
5	2 831 29	<b>1 gang switched, with red LED power indicator</b>
5	2 833 29	● Silver
5	2 835 29	● Pearl
		● Dark Silver
		<b>British standard socket outlets 5 A - 250 V~</b>
		Conform to BS 546
5	2 831 31	<b>1 gang unswitched</b>
5	2 833 31	● Silver
5	2 835 31	● Pearl
		● Dark Silver
5	2 831 32	<b>1 gang switched</b>
5	2 833 32	● Silver
5	2 835 32	● Pearl
		● Dark Silver

Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
5	2 831 40	<b>Unswitched</b>
5	2 833 40	● Silver
5	2 835 40	● Pearl
		● Dark Silver
5	2 831 41	<b>Switched</b>
5	2 833 41	● Silver
5	2 835 41	● Pearl
		● Dark Silver
5	2 831 42	<b>Switched with red LED power indicator</b>
5	2 833 42	● Silver
5	2 835 42	● Pearl
		● Dark Silver

Red catalogue numbers: New products

**Mallia™ Euro-US and German standard socket outlets - customisable colours**

**NEW**



2 835 02      2 833 25      2 831 26

Plate selection charts **p. 36-37**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection. To be equipped with plates  
Dim.: 86 x 86 mm

**Euro-US standard socket outlets 10/16 A - 250 V~**

Pack	Cat.Nos	Socket Type	Colors
5	2 831 00		● Silver
5	2 833 00		● Pearl
5	2 835 00		● Dark Silver
5	2 831 01		● Silver
5	2 833 01		● Pearl
5	2 835 01		● Dark Silver
5	2 831 02		● Silver
5	2 833 02		● Pearl
5	2 835 02		● Dark Silver
5	2 831 03		● Silver
5	2 833 03		● Pearl
5	2 835 03		● Dark Silver
5	2 831 04		● Silver
5	2 833 04		● Pearl
5	2 835 04		● Dark Silver

**German standard socket outlets 16 A - 250 V~**

5	2 831 25		● Silver - vertical mounting
5	2 833 25		● Pearl - vertical mounting
5	2 835 25		● Dark Silver - vertical mounting
5	2 831 26		● Silver - horizontal mounting
5	2 833 26		● Pearl - horizontal mounting
5	2 835 26		● Dark Silver - horizontal mounting

**Multistandard socket outlets - 16 A - 250 V / 15 A - 127 V**

5	2 831 20		● Silver
5	2 833 20		● Pearl
5	2 835 20		● Dark Silver

**US standard socket outlets 15 A - 127 V - SASO agreement**

5	2 831 05		● Silver
5	2 833 05		● Pearl
5	2 835 05		● Dark Silver
5	2 831 06		● Silver
5	2 833 06		● Pearl
5	2 835 06		● Dark Silver

**Mallia™ modular socket outlets customisable colours**

**NEW**



2 818 56      2 818 59      2 819 31

Plate selection charts **p. 36-37**

Painted polycarbonate front cover

**Modular socket outlets**

Compact mechanism for a larger wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
To be equipped with 2-gang support frames and plates  
Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket Type	Colors
5	2 818 56		● Silver
5	2 818 75		● Pearl
5	2 818 76		● Dark Silver
5	2 818 59		● Silver
5	2 818 78		● Pearl
5	2 818 79		● Dark Silver
8	2 818 48		● Silver
8	2 818 67		● Pearl
8	2 818 68		● Dark Silver
5	2 818 51		● Silver
5	2 818 70		● Pearl
5	2 818 71		● Dark Silver

**Support frames and plates - for modular socket outlets**

5	2 819 30		○ White
5	2 819 31		● Silver
5	2 819 32		● Champagne
5	2 819 33		● Pearl
5	2 819 34		● Dark Silver
5	2 819 46		● Brass
5	2 819 47		● Bronze
5	2 819 48		● Matt Black
5	2 819 49		● Copper
1	2 819 20		● Brushed Stainless Steel
1	2 819 21		● Gold
1	2 819 22		● Polished Stainless Steel
1	2 819 23	● Lacquered Black	

# Mallia™ switches for hotels, downlighters and sound distribution - customisable colours

**NEW**



2 830 45



2 834 97



2 833 80



2 831 85



Plate selection charts p. 36-37

Painted polycarbonate front cover  
Compact mechanism for a larger wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
To be equipped with plates  
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		<b>Key card switches - 15 A</b> Time delay around 30 s
1	2 830 48	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 832 48	
1	2 834 48	
		<b>Do not disturb / Occupied / Clean up Bell push-buttons</b>
5	2 830 45	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 45	
5	2 834 45	
		<b>Do not disturb / Clean up - 2 gang switches</b>
5	2 830 46	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 46	
5	2 834 46	
		<b>Downlighters</b>
		Low output downlighters 230 V~ , with LED
5	2 830 97	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 97	
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
		Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers
1	2 831 80	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 833 80	
1	2 835 80	
		<b>Configurable sound distribution system for several rooms</b>
		<b>Modular power supply</b> 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 81	
		<b>Central units</b>
1	2 831 82	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 833 82	
1	2 835 82	
		<b>Local control units</b> With LCD display, child surveillance and intercommunication
1	2 831 83	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 833 83	
1	2 835 83	
		<b>Radio tuner with local control units</b> Dim.: 146 x 86 mm
1	2 831 84	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 833 84	
1	2 835 84	
		<b>Loudspeakers</b>
1	2 831 85	<ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
1	2 833 85	
1	2 835 85	

# Mallia™ plates, frames, blanking plates, adaptors and accessories - customisable




Plate selection charts p. 36-37

Pack	Cat.Nos	Plates
		<b>1 gang</b>
10	2 819 00	○ White
10	2 819 05	● Silver
10	2 819 10	● Champagne
10	2 819 50	● Pearl
10	2 819 55	● Dark Silver
10	2 819 60	● Brass
10	2 819 65	● Bronze
10	2 819 70	● Matt Black
10	2 819 75	● Copper
1	2 819 78	● Brushed Stainless Steel
1	2 819 82	● Gold
1	2 819 86	● Polished Stainless Steel
1	2 819 90	● Lacquered Black
		<b>2 x 1 gang</b>
5	2 819 01	○ White
5	2 819 06	● Silver
5	2 819 11	● Champagne
5	2 819 51	● Pearl
5	2 819 56	● Dark Silver
5	2 819 61	● Brass
5	2 819 66	● Bronze
5	2 819 71	● Matt Black
5	2 819 76	● Copper
1	2 819 79	● Brushed Stainless Steel
1	2 819 83	● Gold
1	2 819 87	● Polished Stainless Steel
1	2 819 91	● Lacquered Black
		<b>2 gang - Vertical</b>
		For 2 gang vertical DP switch 45 A (p. 28)
5	2 819 02	○ White
5	2 819 07	● Silver
5	2 819 12	● Champagne
5	2 819 52	● Pearl
5	2 819 57	● Dark Silver
5	2 819 62	● Brass
5	2 819 67	● Bronze
5	2 819 72	● Matt Black
5	2 819 77	● Copper
1	2 819 80	● Brushed Stainless Steel
1	2 819 84	● Gold
1	2 819 88	● Polished Stainless Steel
1	2 819 92	● Lacquered Black


Pack	Cat.Nos	Blanking plates
		<b>1 gang</b>
10	2 811 90	○ White
10	2 831 90	● Silver
10	2 833 90	● Pearl
10	2 835 90	● Dark Silver
		<b>2 gang</b>
5	2 811 91	○ White
5	2 831 91	● Silver
5	2 833 91	● Pearl
5	2 835 91	● Dark Silver
		<b>Arteur adaptors</b>
		<b>1 gang</b>
5	2 811 92	○ White - Supplied with plate (complete)
5	2 831 92	● Silver - Supplied without plate
5	2 833 92	● Pearl - Supplied without plate
5	2 835 92	● Dark Silver - Supplied without plate
		<b>2 gang</b>
5	2 811 93	○ White - Supplied with plate (complete)
5	2 831 93	● Silver - Supplied without plate
5	2 833 93	● Pearl - Supplied without plate
5	2 835 93	● Dark Silver - Supplied without plate
		<b>Transparent rockers with label holders for switches</b>
		Can be used instead of the standard rocker plates Supplied with white labels
5	2 818 95	1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang
		<b>Lamps</b>
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

# Mallia™

complete white or customisable colours: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours  
You'll find a solution for every situation in complete, modular or dressable mounting

## ■ Complete mounting: Mallia White




















## ■ Modular mounting: Mallia White and colours



## ■ Dressable mounting: Mallia colours





PLATES				
White 	2 819 00	2 819 01	2 819 02	2 819 30
Silver 	2 819 05	2 819 06	2 819 07	2 819 31
Champagne 	2 819 10	2 819 11	2 819 12	2 819 32
Pearl 	2 819 50	2 819 51	2 819 52	2 819 33
Dark Silver 	2 819 55	2 819 56	2 819 57	2 819 34
Brass 	2 819 60	2 819 61	2 819 62	2 819 46
Bronze 	2 819 65	2 819 66	2 819 67	2 819 47
Matt Black 	2 819 70	2 819 71	2 819 72	2 819 48
Copper 	2 819 75	2 819 76	2 819 77	2 819 49
Brushed Stainless Steel 	2 819 78	2 819 79	2 819 80	2 819 20
Gold 	2 819 82	2 819 83	2 819 84	2 819 21
Polished Stainless Steel 	2 819 86	2 819 87	2 819 88	2 819 22
Lacquered Black 	2 819 90	2 819 91	2 819 92	2 819 23

Red catalogue numbers: New products

# Mallia™ plate selection charts - customisable (continued)

**NEW**

PLATES	 		 	
	BLANKING PLATES		ARTEOR ADAPTORS	
	1 gang	2 gang	1 gang	2 gang
<b>White</b> 	2 811 90	2 811 91	2 811 92 <sup>(1)</sup>	2 811 93 <sup>(1)</sup>
<b>Silver</b> 	2 831 90	2 831 91	2 831 92 <sup>(2)</sup>	2 831 93 <sup>(2)</sup>
<b>Pearl</b> 	2 833 90	2 833 91	2 833 92 <sup>(2)</sup>	2 833 93 <sup>(2)</sup>
<b>Dark Silver</b> 	2 835 90	2 835 91	2 835 92 <sup>(2)</sup>	2 835 93 <sup>(2)</sup>

1: Supplied complete with plate  
2: Supplied without plate



**World Headquarters  
and International Department**  
87045 Limoges Cedex - France

☎ : + 33 (0) 5 55 06 87 87

Fax: + 33 (0) 5 55 06 74 55

[www.legrand.com](http://www.legrand.com)